

ECOUSTIC® V COLLECTION



unika vaev

INSTYLE


Hear yourself think®

ECOUSTIC V COLOR BY THICKNESS

.35" Panel / Tile




ALLOY



DAPPLE




DUNE



EQUINOX



MARBLE



MILK



ZINC

.47" Panel / Tile



ALMOND



ARIZONA



BLUEBELL



COOL



DENIM



FAWN



GALAXY




HORIZON



IRIS



LEAF



OLIVE



OXIDE



SNOWDROP




TUNGSTEN




VENUS


.94" Panel / Tile



ASH



GRAPHITE



NERO



PURE




STONE

Product may vary in color due to the nature of the media
Please refer to website for current color range


ecoustic® global leaders
by INSTYLE in acoustic
products

ECOUSTIC V - PANEL DESIGNS




V AXIS


*available as panel only




V CORD 14




V CORD 25




V CORD MIX




V DIAGONAL 50




V CORD 55



V CORD 110



V CHECK 50




V CHECK 138


Patterns shown above are not to scale
Product may vary in color due to the nature of the media
Please refer to website for current color range

ecooustic® global leaders
by INSTYLE in acoustic
products


ECOUSTIC V - TILE DESIGNS




V CORD 14




V CORD 25




V CORD MIX




V DIAGONAL 50




V CORD 55



V CORD 110



V CHECK 50



V CHECK 138



Patterns shown above are not to scale
Product may vary in color due to the nature of the media
Please refer to website for current color range

ecoustic[®] global leaders
by **INSTYLE** in acoustic
products

ECOUSTIC® V



CONTENT	100% PET
DIMENSIONS	(w) 43 5/16" x (h) 106 5/16" x (d) 3/8", 1/2", or 15/16"
Panel	(1100 mm x 2700 mm x 12 mm or 24 mm)
Tile	(w) 21 5/8" x (h) 21 5/8" x (d) 3/8", 1/2", or 15/16"
	(550 mm x 550 mm x 9 mm, 12 mm, or 24 mm)
APPLICATION	Wall, Ceiling
FIRE RATINGS	
ASTM E84	.35" + .47" Class A, .94" Class C
AS/ISO 9705	
AS/NZS 1530.3	
VOC	
Cal 01350	Complies
ACOUSTIC	
0.35"	NRC- .30 (direct fix) or .85 (7.9" air gap)
0.47"	NRC- .40 (direct fix) or .85 (7.9" air gap)
0.94"	NRC- .65 (direct fix) or .95 (7.9" air gap)

BENEFITS

Designed for the Environment:

- Designed for disassembly + recyclable
- ecoustic® SC panels are low-VOC + Oeko-Tex Certified

Lightweight, Easy to Handle + Install: Compared to traditional panels, ecoustic® V panels + tiles are lower in weight, easier to handle, and results in reduced transportation costs. ecoustic® V can be trimmed and installed without the need for additional finishes, which reduces labor and material costs. V panels and tiles supplied are precision cut.


Custom: ecoustic® V panels are available in 9 design patterns, and ecoustic® V tiles are available in 8 patterns. Custom patterns are available, please contact Unika Vaev customer service for more information regarding custom pattern creation.

Moisture Absorption: After four days at 122° C, 95% RH the moisture absorbency of the 0.47" and 0.94" panel + tile was less than 0.3% and 2.9% by weight respectively. As V panels + tiles are made from 100% polyester, they will not degrade over time due to moisture, mildew, or rot in office environments.

Toxicity: Polyester is non-toxic and is classed the same as wood under the State of New York Article 15 Part 1120. ecoustic® V does not contain any Red List Chemicals (USA EPA).

Building Rating Systems: ecoustic® V will contribute the following points for Green Star, LEED + WELL building standards.

Criteria	Green Star	LEED	WELL
Low VOC	✓	✓	✓
3rd Party Certification	-	✓	N/A
Toxic Material Reduction	N/A	N/A	✓
Sound Reducing Surfaces	N/A	N/A	✓



Product may vary in color due to the nature of the media
Please refer to website for current color range

ecoustic® global leaders
by INSTYLE in acoustic products