


ECOUSTIC® PANEL PRINT LOOP


unika vaev
—
INSTYLE

Hear yourself think®

ECOUSTIC® PRINT LOOP PATTERN




MINT ON CAPRI




MINT ON OPAL




OCHRE ON NATURAL



PETROL ON CAMEO



RUST ON OYSTER



WHITE ON LIGHT GREY

LOOP FULL PANEL PATTERN



Patterns shown are not to scale
Product may vary in color due to the nature of the media
Please refer to website for current color range

ecoustic® global leaders
by INSTYLE in acoustic
products

ECOUSTIC® PANEL PRINT LOOP



DESCRIPTION

ecoustic® Loop an acoustic panel print designed by Tom Skeeahan. This felt faced, hand silk-screen print, is designed to reduce and control reverberated noise in building interiors such as open plan workspaces, bars, restaurants, theatres, convention centers and public spaces. The Loop print is available in six colorways.

CONTENT

100% PET (up to 65% recycled content)

DIMENSIONS

Panel Dimensions 8'11 1/16" x 3'11 5/8" (2720mm x 1210mm)
 Print Dimensions 8'10 5/16" x 3'11 1/4" (2700mm x 1200mm)
 Screen Panel Dimensions 3'11 5/8" x 7'11 1/4" (1210mm x 2420mm)
 Screen Print Dimensions 3'11 1/4" x 7'10 1/2" (1200mm x 2400mm)

THICKNESS

0.31" (8mm)
 0.53" (13.5mm) (3 box minimum)
 0.98" (25mm) (3 box minimum)
 1.97" (50mm) (5 box minimum)
 0.47" (12mm) * Custom Screen

PATTERN REPEAT

3'11 1/4" (h) x 8'10 5/16" (w)
 (1200mm x 2700mm)
 Loop is railroded for ecoustic® screen

FLAMMABILITY

ASTM E84
 AS/NZS 1530.3, AS/ISO 9705
 GB 8624

Class A

APPLICATION

Screen, Wall & Ceiling Panel

ACOUSTIC

NRC: 0.30 - 1.00 Depending on panel thickness (see graph on following page)

UNIKAVAEV.COM
 800-237-1625

BENEFITS

Improved Pinability: ecoustic® Panel + Screen features an improved pinability compared to similar panel products.

Lightweight, Easy to Handle + Install: ecoustic® is an intelligent alternative to traditional panels composed of multiple materials such as particle board, fabric, foam and adhesive.

Designed for the Environment

- Based on low energy manufacturing
- 100% polyester (up to 65% recycled content)
- Designed for disassembly + recyclable
- Low-VOC, EPD + Greentag Level A Certified
- HPD

Building Rating Systems: ecoustic® Loop will contribute the following points for Green Star, LEED + WELL building standards.

Criteria	Green Star	LEED	WELL
Recycled Content	✓	✓	N/A
Low VOC	✓	✓	✓
EPD	✓	✓	N/A
3rd Party Greentag Level A Certification	✓	✓	✓
Toxic Material Reduction	N/A	N/A	✓
Sound Reducing Surfaces (.98" + 1.97")	N/A	N/A	✓

Please Note: Results from performance tests are guidelines only. On site trimming to square each individual panel is essential. This is a hand printed product. Variation in thickness, fiber mix and color as well as flecks and other slight surface blemishes are an inherent feature of this product and are unavoidable. Variation from batch to batch may occur.

ecoustic® global leaders
 by INSTYLE in acoustic
 products

ECOUSTIC® PANEL PRINT LOOP

